



bill-payment, etc...













#### **MYPOS**

FM-E22W FM-E24W FM-E27W FM-E32W



4G LTE/Wi-Fi Antenna/GPS

Front Camera

Capacitive touch screen 22/24/27/32 inch


Reliable and durable metal body 80 mm High speed thermal printer with auto cut QR-Code scanner / Mobile screen scanner **EDC POS Terminal Support (Optional)** 

Floor Standing

### **Dimension**Sizing can adjustable

up on device configuration







## **Designed for Catering**Self-Service solution for catering business

Self-service kiosks are an innovative solution for catering businesses that allow customers to place orders and make payments without the need for human interaction.

FM-EA is an all-in-one self-service catering system that offers self-service ordering and payment process.

### Made in Thailand

We made it in Thailand

FM-EA Series was developed by our professional team. We design and build it from our customers requirements. That means you can freely tell us of your dream system. Our experties will work hard for every customers.

Specification and integrated device can be configure and much more...

### **Specification**

Model	FM-E22W	FM-E24W	FM-E27W	FM-E32W
Touch Screen	Multi-Point Capacitive Touch Screen			
Display	22" 1920×1080	24" 1920×1080	27" 1920×1080	32″ 1920×1080
Speaker	Speaker $8\Omega$ 5W or $8\Omega$ 20W			
Power	Input 200~240VAC			
J6412				
Operating System	Windows 10/11			
CPU	J6412 Elkhart Lake J6412 2.2GHz. (Up to 2.6 GHz.)			
Memory	1x DDR3, SO-DIMM, 8 GB (MAX 32GB)			
Storage	1x mSATA 128G (64G/256G Optional)			
Power	1x 12V 5A 60 Watts + 1x 24V 3A 72 Watts			
External I/O Port	1x DC-IN			
	1x VGA			
	1x HDMI			
	1x Audio			
	1x LAN (10/100/1000Mb)			
	1x USB 3.0 + 4x USB 2.0			
	1-6x DB9 (RS-232)			
Optional	mPCI-E, WiFi Module, Bluttooth Module			
i5-7200				
Operating System	Windows 10/11			
CPU	Intel Core i5-7200 2.50GHz.			
Memory	1x DDR4, SO-DIMM, 8 GB (MAX 32GB)			
Storage	1x mSATA 128G (32G/64G/256G/512G/1TB Optional)			
Power	1x 12V 5A 60 Watts + 1x 24V 3A 72 Watts			
External I/O Port	1x DC-IN			
	1x VGA			
	1x HDMI			
	1x Audio			
	1x LAN (10/100/1000Mb)			
	2x USB 3.0 + 4x USB 2.0			
	1-6x DB9 (RS-232)			
Optional		ıle, Bluttooth Module		
Payment Device (Option				
QR-Code		ner / Mohile screen 2D O	R-Code scanner / NFC read	der
Kiosk printer	25 411 0000 00011	ier / Mobile dereelt 25 a	The section of the se	
Paper width	80 mm			
Printing width	72 mm (max)			
Printing speed	250 mm/s (MAX)			
Resolution	576 dots/line			
Paper roll diameter	80 mm			
Paper thickness	0.06 - 0.12 mm			
Cut method	Sliding cut			
Cut mode	Full cut / Partial cut			
Cutter life	1,000,000 cuts			
Environment	1,000,000 eats			
	Operating: 0°C (	50°C   Storage: 20°C, 75°C	^	
Temperature	Operating: 0°C ~ 60°C   Storage: -20°C~75°C  Operating: RH 5%~95%   Storage: RH 5%~95%			
Hymidity	Operating: KH 5%~	~95%   Storage: KH 5%~95	70	



# MYPOS Technology (Thailand) Co., Ltd. 49/293 Soi Vibhavadi-Rangsit 64 Yeak 13,

Talat Bangkhen, Lak Si, Bangkok 10210

Tel: +66-2-521-7155 ~ 59 Fax: +66-2-521-7167

Email: sales@myposthai.com