






DimensionSizing can adjustable up on device configuration

MYPOS











Device Option

Standard device option for self-service kiosk system



Bill Acceptor XBAm-EV



Bill Acceptor V77E



Coin Acceptor UCA2



Coin Hopper MH-125A



Note Dispenser NDE-1000



QR-Code Scanner NLS-EM20-85



Barcode Scanner



EDC POS Terminal



We made it in Thailand



FM-KW Series was developed by our professional team. We design and build it from our customers requirements. That means you can freely tell us of your dream system. Our experties will work hard for every customers.

Specification and integrated device can be configure and much more...

Specification

Model	FM-K22W	FM-K24W	FM-K27W	FM-K32W	
Touch Screen	Multi-Point Capacitive Touch Screen				
Display	22" 1920×1080 24" 1920×1080 27" 1920×1080 32" 1920×1080				
Speaker	Speaker 8Ω 5W or 8Ω 20W				
Power	Input 200~240VAC / Output DC12V 12.5A / DC24V 6.5A				
i5 4th Gen : Motherboar		<u>'</u>			
Model	F4200TLV-6C2L				
CPU	Intel Core i5-4200U 2.60 GHz.				
Memory	1x DDR3L 2133 MHz. (4G/8G/16G)				
Display	1x VGA 1920x1200@60Hz 1x Dual Channel 24-bit LVDS/EDP1 (up tp 4096x2304@60Hz.)				
	1x HDMI (up to 4096x2304@60Hz.)				
Storage	1x SATA 3.0 Port (32G/64G/128G/512G/1T)				
Ethernet	1x Realtek RTL811H (10/100/1000 Mbps)				
Audio	1x Realtek ALC 887/662				
USB		2x USB 3.0 6x USB 2.0			
COM	6x COM				
Expansion		1x mSATA(3.0) 1x Mini PCle (WiFi+BT)			
Operating System		Windows 7 32/64 bit Windows 10 64 ibt			
i5 8th Gen : Motherboar		THINGSWS TO UT TOL			
Model					
CPU	F8250TLV-4C				
	Intel Core i5-8250U 3.40 GHz.				
Memory	1x DDR4 2133 MHz. (4G/8G/16G)				
Display	1x VGA 1920x1200@60Hz 1x Dual Channel 24-bit LVDS/EDP1 (up tp 4096x2304@60Hz.)				
0.	1x HDMI (up to 4096x2304@60Hz.)				
Storage	1x SATA 3.0 Port (32G/64G/128G/512G/1T)				
Ethernet	1x Realtek RTL811H (10/100/1000 Mbps)				
Audio	1x Realtek ALC 269				
USB	4x USB 3.0 4x USB 2.0				
COM	4x COM				
Expansion	1x mSATA(3.0) 1x Mini PCle (Wifi)				
Operating System	Windows 7 32/64 b	Windows 7 32/64 bit Windows 10 64 ibt			
Payment System Specifi	cation				
Bill acceptor	Heavy duty and high security bill acceptor				
Coin acceptor	Comercial grade coin acceptor				
QR-Code	2D QR-Code scanner / Mobile screen 2D QR-Code scanner / NFC reader				
Barcode	1D Barcode scanner support				
EDC	EDC POS Terminal s	EDC POS Terminal support			
Note Dispenser	Note dispenser for	Note dispenser for bill return			
Coin Dispenser	Coin hopper for coin return				
Kiosk Printer (Optional	Configuration)				
Paper width	80 mm	80 mm			
Printing width	80/82.5 mm	80/82.5 mm			
Printing speed	250 mm/s (MAX)	250 mm/s (MAX)			
Paper roll diameter	80-150 mm				
Paper thickness	0.06 - 0.20 mm	0.06 - 0.20 mm			
Cutter life		800,000 - 1,000,000 cuts			
Environment	0.5-5-11 000 00	000 0000 750			
Temperature	Operating: 0°C ~ 60°C Storage: -20°C~75°C				
Humidity	Operating: RH 5%~95% Storage: RH 5%~95%				



MYPOS Technology (Thailand) Co., Ltd. 49/293 Soi Vibhavadi-Rangsit 64 Yeak 13, Talat Bangkhen, Lak Si, Bangkok 10210 Tel: +66-2-521-7155 ~ 59 Fax: +66-2-521-7167

Email: sales@myposthai.com